



VAIS TECHNOLOGY

www.vaistech.com

Owner's Manual

GSR

Generation 2

SiriusXM Satellite Radio interface

(SXV300 SiriusXM Tuner required)

Model GSR-TY51

TOYOTA



TOYOTA

DODGE //



HONDA



SUBARU



mazda



Jeep



PORSCHE



Mercedes-Benz

Installation

4

SiriusXM Source Selection

7

User Interface - Channels, Presets, Categories

10

Warranty

12

⚠ WARNING**DO NOT DISASSEMBLE OR ALTER**

Doing so may result in an accident, fire or electric shock

Do not block the airbag

Do not mount product or any added audio and/or video equipment where it can obstruct the operation of any safety devices such as the airbag.

Distraction warning

Do not let product or any added audio and/or video equipment distract you while you are driving.

BEFORE WIRING, DISCONNECT THE CABLE FROM THE NEGATIVE BATTERY TERMINAL

Before starting any installation work, you must wait 90 seconds after turning the ignition switch to the LOCK position and disconnecting the negative (-) terminal from the battery. The supplemental restraint system (airbag) is equipped with a backup power source. If installation work is started less than 90 seconds after disconnection of the negative (-) battery terminal, the SRS may deploy. When the negative (-) terminal cable is disconnected from the battery, the clock and audio systems memory will be erased. Before starting installation work, make a record of the clock and audio systems memory settings. When installation is complete, reset the clock and audio systems to their previous settings. Power tilt, power telescopic steering column, front power seats, power mirrors, and power shoulder belt anchorage are equipped with a memory function. The rear power seat is not equipped with a memory function. e and they can make a record of the memory contents, rear power seat is not equipped with the memory function. When installation is complete, it is necessary to readjust the features to their previous settings. Never use a backup power supply (such as another battery) during installation work to avoid losing these memory settings.

⚠ CAUTION**DO NOT SPLICE INTO ELECTRICAL CABLES**

Never cut away cable insulation to supply power to other equipment. Doing so will exceed the current carrying capacity of the wire and result in fire or electric shock.

DO NOT ALLOW CABLES TO BECOME ENTANGLED IN SURROUNDING OBJECTS

Cables or wiring that obstruct or get caught on places such as the steering wheel, shift lever, brake pedals, etc. can be extremely hazardous.

DO NOT INSTALL IN LOCATIONS WITH HIGH MOISTURE OR DUST

Moisture or dust may result in product failure.

HAVE THE WIRING AND INSTALLATION DONE BY EXPERTS

The wiring and installation of this product requires special technical skills and experience.

USE ONLY SPECIFIED ACCESSORY PARTS

Use of other than specified parts may damage product internally.

Follow the operational and installation manuals.

YOU SHOULD READ AND FAMILIARIZE YOURSELF THOROUGHLY WITH THE FOLLOWING INFORMATION PRIOR TO INSTALLING AND USING THIS UNIT. IN ADDITION, YOU MUST CAREFULLY READ AND FOLLOW THE INSTALLATION SCHEMATICS/INSTRUCTIONS FOR THE PRODUCT AND THE VEHICLE IN WHICH IT IS BEING INSTALLED. FAILURE TO FOLLOW INSTALLATION INSTRUCTIONS MAY DAMAGE THE PRODUCT AND THE VEHICLE, WILL VOID THE PRODUCT WARRANTY, AND MAY VOID THE VEHICLE WARRANTY

Check your local laws

Some States/Provinces or other governmental jurisdictions (such as cities) may have laws that prohibit the operation of a video screen within the sight of the Driver. If you have purchased such a product, you should use the product only in locations where it is legal to do so, and if you do use the product, set up the screen so it is only visible to passengers.

TROUBLESHOOTING

Should this product fail to operate properly, please contact your Dealer or our Customer Service Department at info@vaistech.com.

i IMPORTANT

This unit is an interface adapter for Toyota/Scion head unit to control the SiriusXM Tuner SXV300 (SOLD SEPARATELY).


i About SiriusXM Satellite Radio Operation

The unit may refuse to change the channel if your reception is going ON and OFF.


Please wait until your reception stabilizes in order for the unit to allow you to change the channel easily.

Due to bad reception in some areas, SiriusXM Satellite Radio may not work and/or not able to display text.


What's Included




GSR-TY51
Interface Adapter




Power and steering
wheel control harness



USB Connector Brown (M) to
USB Connector Gray (M) cable




Vehicle Antenna



SiriusXM Tuner
SXV300

**Vehicle Antenna and
SiriusXM Tuner SXV300
are included in GSR-TY51
Tuner Kit only**

GSR Connectors and Ports



Brown USB
interface
connector


Gray USB
interface
connector

Interface connector
for SiriusXM SXV300 Tuner

Power connector

GSR


Model: GSR-TY51




LEDs

Not Used

Connecting GSR



Power/Steering Wheel Control Harness Connection





CAUTION

Make sure all connectors are plugged in all the way.

About GSR (Gen 2) firmware update

Check GSR-TY51 product page to see if update is available:


<https://www.vaistech.com/product/gsr-ty51-w-tuner-kit/>

**A****View all Audio Sources available**





B

Touch to select "SiriusXM" Audio Source





C







1 Tuning Knob - switch to next available channel, depending on direction of rotation. (Tuning knob may not be available while radio is loading channel list.)



2 "Track Seek+" and "Track Seek-" switch to next available channel.
Long Touch on "Track Seek+" and "Track Seek-" switch to next available Preset.



10

User Interface - Channels, Presets, Categories







Warranty is available for download: <https://www.vaistech.com/download/15244/>

To request a paper warranty copy please contact us:

VAIS Technology
Warranty Department
8811 American Way
Unit 125
Englewood, CO 80112
720-733-2348
info@vaistech.com